



SINCE 1988
36th
 ANNIVERSARY



Cordless Lighting Garden Lighting

2025 Collection



36th Anniversary
 Challenge to Next 36 Years →



2025 Cordless Lighting Garden Lighting Collection



Home Resource Ind. Co., Ltd.

Taipei Headquarter:
 4F, No. 7, Dexing W. Rd., Shilin Dist., Taipei City, Taiwan
 Zhongshan Factory: Area 1, 3rd floor, no. 28 Yuquan road, Torch development Zone, Zhongshan City, Guangdong, China
 Ningbo Factory: Qiaotouhu Industrial Park, Ninghai, Ningbo, China
 Tel: 886-2-2809-1212 (Rep. 12 Lines) Fax: 886-2-2808-1565
 E-mail: hr@homerresource.com.tw http://www.homerresource.com.tw



Home Resource Ind. Co., Ltd.

Home Resource LEDS The World



OUR VISION

◆ To Illuminate Every Part of the World ◆

OUR MISSION

To be the leading lighting company in Taiwan and China
To be the best at what customers value most
To exceed customers expectation
Treat staffs & customers & substructures as partnership
Enjoy work as part of life
To be a respected company

OUR CORE COMPETENCE

- Integrity
- Innovation
- Profession
- Passion
- Efficiency
- Responsibility
- Teamwork

WHO

WE ARE


Home Resource has 36 years in exterior & interior lights market, We are uniquely positioned to offer the right solutions and value for your LED lighting requirements with our holistic approach and vertically integrated infrastructure.



Home Resource
Ningbo

Taipei
(Headquarters)

Hong Kong
Home Resource / Zhongshan



Taipei





Zhongshan



Ningbo

OUR

HISTORY TIMELINE

- 2021 Winner of the iF Design Award, Germany 
- 2017 Received The Best Innovation Award of Taiwan Lighting Association
- 2015 Received National Excellent Lighting Quality Award in Japan
- 2013 Awarded the BSCI certification
- 2010
 - Established New Factory in Zhongshan (Guangdong)
 - Established the Research & Development Center
- 2008
 - Red Dot Design Award, Germany 
 - Good Design Product, Taiwan
- 2007 Awarded as one of the best "ISO 9001:2000" companies listed as members of KEMA organization
- 2006 Acquired 26,000 square meters land in Zhongshan City, Guangdong
- 2005 Received National Quality Award in Taiwan
- 2004 President Sam Chen was being the Chairman of Taiwan Lighting Association (2004-2007)
- 2003
 - Awarded from TUVPS as one of the TOP 5 Golden Clients in Asia
 - Founded the scholarships in Longung Elementary School in Taichung City, Taiwan
- 1999
 - Established Home Resource in Qinxi, Dongguan (Guangdong)
 - Awarded the ISO 9001:2000 certification
- 1998 Established Charitable Memorial Foundation of caring for the elderly
- 1997 Established Home Resource Golf Team
- 1996 Received Excellent Quality Award, Spain
- 1995 HR being the 1st Taiwanese company in receipt of SEMKO, NEMKO, and DEMKO Certificates
- 1992 Established Home Resource in Shanghai/Ningbo
- 1988 Established Home Resource Ind. Co., Ltd. in Taiwan

DESIGN AWARDS



■ Good Design Product of Taiwan



■ Red Dot Award of Germany



L: Sam Chen
(President of Home Resource Co.)
R: Alfred Albrecht, TÜVPS
(GS Testing & Certification)

- Awarded from TÜVPS as one of the Top 5 golden clients in Asia (2003)



L: Sam Chen
(President of Home Resource Co.)
R: P.K. Chiang
(Minister of Economic Department Taiwan)

- Being as Chairman of Taiwan Lighting Association in 2004



L: Jack Chen, Former President of HR/GR
R: Representative of Senior Group

- Award from Senior Group Towards Annual Charity Donation



- David Chen, the general manager of Home Resource, received 2008 innovation award for mushroom lamp in Frankfurt fair.

Safety Approval: CE, GS, CUL, ETL



GS Certificate

CUL, ETL Certificate



CE Certificate

More than 60 patents...



Organizational Structure



Sales Team



Shipping & Financial



Production Line

Show Room



Exterior Garden Light



Exterior Wall Light



Novelty Light & Mood Light

In-House Lab



Integrator Machine Set



Salt Spary Test Machine (To test Anti-corrosion status of metal material)



IP Tester

INDEX

CORDLESS

- ◆ Cordless Portable Lighting -----01~17
- ◆ Rechargeable Magnetic E27 Bulb Series -----18~27

GARDEN

- ◆ Garden Wall / Path light- Bulb GU10 / E27 -----28~37
- ◆ Garden Wall / Path light- LED Version -----38~46

SOLAR

- ◆ Solar Wall / Path Light -----47~60

ARTIFICIAL INTELLIGENCE

- ◆ Artificial Intelligence Security -----61~62

Cordless Portable Lighting



Rechargeable Magnetic E27 Bulb Series



Garden Wall / Path Light - Bulb GU10 / E27



Garden Wall / Path Light - LED Version



Solar Wall & Path Light



Artificial Intelligence Security



NEW

2 in 1 Indoor/Outdoor Rechargeable Table Lamp IP44




FEATURE:

- 1. Nordic Design, easy control
- 2. Competitive price
- 3. small package:
27000pcs in 20' container
57000pcs in 40' container



CORDLESS PORTABLE LIGHTING

Material: Metal+PC
 LED module: 150LM/Touch Switch
 Battery: 1x1200/1500/2000mAh 18650
 Charging time: 3 hrs
 Working time: 3-5 hrs
 IP44



● ETLED-658



White

Black

Green

Pink

Gray

Blue

Indoor/Outdoor Rechargeable Portable Lamp IP44

NEW




Indoor/Outdoor Rechargeable Portable Lamp IP44

NEW




Material: ABS+Metal
Input voltage: DC 5V 1A
Rated power: 3W
Color temperature: 3000-6000K
Light beads: 36 PCS SMD2835 LED lights
Battery/capacity: 1200mAh lithium-ion battery
Max Luminous Flux: 180LM
Charging time: about 3H
Working time: about 3-8H
Type-C USB charging
Color: Blue/Red/White
IP44



● ETLED-659

Material: ABS
Input voltage: DC 5V 1A
Rated power: 3W
Color temperature: 3000-6000K
Light beads: 36 PCS SMD2835 LED lights
Battery/capacity: 1200mAh lithium-ion battery
Max Luminous Flux: 180LM
Charging time: about 4H
Working time: about 3-8H
Type-C USB charging
Color: Yellow/Red/Green
IP44




● ETLED-660

Rechargeable LED Mood Light

Hot Selling



Material: metal+PC cover+PP Plate
 Surface treatment: electroplating
 LED: 24pcs SMD 2835
 Battery: Li-ion 18650 3.7V 1200mAh
 Power: 2.5W
 Lumens: 100-110LM
 Charger Port: Type C, USB wire
 CRI: 70
 The brightest Lighting Time: 1.5H
 The medium Lighting Time: 3.2H



● ETLED-53C (Cade)

Cordless Dimmable Table Lamp with Fabric Shade

Hot Selling



Material: Steel+PP
 Light bulb: E14 LED filament bulb 5V 2W 3000K
 Power: 3.7V 1500mAh 18650
 Function: dimming function 20%-50%-100%
 Charging time: 4 hours
 Working hours: 7-32 hours
 Color: Gold/Black
 With 1.5M USB cable



More shades available



● ETLED-615



● ETLED-613




Cordless LED Rechargeable Table Lamp With Fabric shade IP20

NEW



Touch switch, dimmer, 12pcs 2835LED
5000-4000-3000K CCT, LED 2.5W
With 1M 5V 1A type-C cord
LED module: 250lm
Charging time: 2.5hrs
Working time: 3-4hrs
IP20



● ETLED-661
Material: ABS base+ iron pole
+fabric shade
103450 Battery: 1x1800mAh



More shades available



● ETLED-662
Material: ABS base+fabric shade
18650 Battery: 1x1800mAh



Cordless Portable Table Lamp IP44 Warm & RGB color




Material: Plastic housing
Power: 6*0.5W 2835 3000K + 6*0.2W RGB LED
Battery: 18650 3.7V 1300mAh
7-Step touch Switch: Warm & RGB Color
IP44

Color



RGB Light



● ETLED-642




LED Table Lamp Mushroom

Hot Selling



Indoor/Outdoor LED Rechargeable Table Lamp




Material: ABS
 Product power: 3W
 Input voltage: DC5V
 Switch type: touch switch,
 3-gear dimming (100% - 50% - 10%)
 Battery type: lithium battery 2000mA
 With USB charging cable
 Type-C charging port
 Without adaptor
 Color: White



Cordless & Rechargeable LED Lamp



Material: Iron spray paint
Power: 3W
Voltage: 5V
Color temperature: Three-tone light
Light source: 2835 LED*16
Battery Capacity: 18650 lithium battery 1800 mAh
Battery life: Charge for 5 hours use for 8-10 hours
type-c usb charging cable




● ETLED-577

Rechargeable Portable Glass Table Lamp



Material: Glass
Light source: DC5V E27 LED Filament Bulb 2700K (Replaceable)
Brightness adjustable
Touch switch
Battery: 18650 2000mAh Li-ion
Color: Multi-color




● ELED-616

Rechargeable Portable Table Lamp



Material: Steel + Glass
 Light source: LED 2W
 Battery: 3.7V 2000mAh
 Lumens: 150lm
 Touch Switch CCT
 Charging time: 5hrs
 Working time: 5-6hrs
 IP20




● ETLED-617


Touch Dimming LED Table Light



Material: Iron + Alum
 Lamp: 6PCS SMD2835 3000K
 TYPE C charging port 2PCS 3.7V 2000MAH Battery
 USB charging cable length 102CM
 (including both ends plug)
 charging red light, green light after full touch
 ON/OFF switch, long press endless dimming
 Color: Black Marble base with Rose gold line
 +Rose Gold Pole & lampshade



● ETLED-575




● ETLED-574

Rechargeable Portable Camping Light



Material: Iron+PMMA
 Power: 5W
 Color temperature: 3000K/6000K
 Power supply: Battery
 Battery capacity: 1800mAh
 Charging time: 3 hours
 Usage time: 8 hours
 Charging indicator and changes: Charging red light
 Color: White
 IP54



● ETLED-650



Lifestyle & Fashion Outdoor Portable Table Lamp

Hot Selling



Charging Port



Touch Switch + Dimming

- ETLED-55P
- Material: Plastic
- Lamp: 3.5W(2700-3000K)
- Battery Capacity: 3600mAh
- Adapter: 5V/1A
- USB cable: 1M with Type C Port
- Working Hours: 3000K 4-6 Hrs
- Lumen: 270LM
- Color: White/Black
- Waterproof: IP54



Charging Port



Touch Switch + Dimming + Color Changing

- ETLED-55P
- Material: Plastic
- Lamp: 5W(RGB + 3000K)
- Battery Capacity: 4000mAh
- Adapter: 5V/1A
- USB cable: 1M with Micro USB
- Working Hours: 3000K 4-6Hrs/ RGB 10-12 Hrs
- Lumen: 170LM
- Color: White/Black
- Waterproof: IP54



Touch Dimming Cordless LED Table Lamp



Light source: DC5V E27 LED Filament Bulb 2700K (Replaceable)
 Battery capacity: 2x 2000mA
 Kelvin: 3000K
 With 1M USB cable
 Touch dimmer



● ETLED-621



● ETLED-622




● ETLED-623

Rechargeable Portable Camping Light IP44 Carried and Hung



Input voltage: DC 5V 1A
 Rated power: 3W
 Color temperature: 2800-6500k
 Light beads: 18 PCS SMD2835 LED
 lights Battery/capacity: 1200mAh
 Max Luminous Flux: 120LM
 Charging time: about 4H
 Working time: about 5-10H



● ETLED-564



Stepless Dimming

Hanging Lamp

USB-C Charging

NEW

Cordless Magnetic Detachable RGB+3CCT E27 Bulb


RECHARGEABLE MAGNETIC E27 BULB SERIES



Material: ABS+PC
Charging current: 1A
Standby power: 70uA
Battery: 1800MAH
Charging time: 2.5H
Working time: 15H
Remote distance: 4-6M
With magnet and remote control



Can be unscrewed from the bottom. Comes with round iron piece with adhesive backing which can be attached to any areas



● PT-BULB-E27-RGBCW
RGB ball



More different Style

www.homeresource.com.tw

HOME RESOURCE 18

Fabric Table Light with LED rechargeable bulb with Remote Control


NEW



E27 Bulb



Material: Iron + Fabric Lampshade
Product size: D140*H255 mm



● ETLED-640



Fabric Table Light with LED rechargeable bulb with Remote Control


NEW



E27 Bulb



Material: Steel+PP
Light Source: rechargeable LED light bulb to be offered separated
Color: Brass
IP20



● ETLED-613A




Iron Table Light with LED rechargeable bulb with Remote Control

NEW



E27 Bulb

Material: Iron
Product size: D110*H200mm



ETLED-641




Glass Table Light with LED rechargeable bulb with Remote Control

NEW



E27 Bulb




ETLED-636

Material: wood + glass
Product size: D95*H125mm



ETLED-638

Material: Alum + glass
Product size: D120*H180mm



ETLED-639

Material: Alum + glass
Product size: D120*H105mm



Fabric Wall Light with LED rechargeable light bulb with Remote Control

NEW



E27 Bulb




Morden Pendant Lamp with LED Rechargeable Bulb With Remote Control

NEW



E27 Bulb



Material: Iron + Fabric Lampshade
Product size: 205*160*570mm



● WLED-307



Material: Fabric Lampshade
Product size: 250*170*150mm



● WLED-652

Material: Iron



● HG-700



4 in 1 Rattan Lamp with LED rechargeable light bulb with Remote Control

NEW




4 in 1 Rattan Lamp with LED rechargeable light bulb with Remote Control


NEW



Material: Rattan



Material: Rattan






4 in 1 Rattan Lamp with LED rechargeable light bulb with Remote Control

NEW




EXTERIOR GARDEN Garden Wall / Path Light Bulb Version

Material: Rattan




Outdoor GU10 Wall & Path Light IP65



NEW

Outdoor GU10 Wall Light & Path Light IP65




NEW

Material: Die Cast Aluminium Opal PC
Input: 220~240V/50-60Hz
Watt: GU10 Max 35W
IP65




● EL-476-2

● EL-476-B



● EL-476S-2

● EL-476S





● GPL-476



Material: Alu+PC diffuser
110-240V
Without GU10 2xMAX 7W bulb
Color: black
IP65



● EL-484



● GPL-484

Outdoor E27 Wall Light & Path Light IP44

NEW



Material: Aluminum body + Opal Glass Diffuser
Without E27 20W bulb
Color: black
IP44



Outdoor E27 Wall & Path Light IP54

NEW



Material: Stainless steel+Alu+PC diffuser
110-240V
Without E27 MAX: 15W bulb
Color: black
IP54



Outdoor E27 Wall Light

Hot Selling




Wall Light Plastic Sconces GU10 Bulb IP44

PROMOTION




Single Design



● EL-1140A
Material: Aluminum-Die Cast + PC
Lamp: E27 max. 1 x 60W Bulb(Excl.)
Finish: Black


Triple Design




● EL-1140A-3
Material: Aluminum-Die Cast + PC
Lamp: E27 max. 3 x 60W Bulb(Excl.)
Finish: Black

Material: ABS + PC Body + Clear PC Diffuser
Voltage: 220-240V 50-60Hz
Color: Black/Wood/Marble
IP44


● EL-472
Lamp: GU10 Max.8W




● EL-472-2
Lamp: 2 x GU10 Max.8W



● EL-473
Lamp: GU10 Max.8W



● EL-473-2
Lamp: 2 x GU10 Max.8W



Outdoor **GU10** Wall Light IP65



Material: Aluminum body+clear Glass Diffuser
Without GU10 2x10W bulb
Color: black
IP65



● EL-486



● EL-486S
With sensor

Outdoor **E27** Wall&Path Light IP44



Material: Aluminum body+clear PC Diffuser
220-240V
Without E27 LED 15W bulb
Color: black
IP44



● EL-487



● GPL-487

Outdoor E27 Wall&Path Light IP44




Material: Aluminum body + Clear Glass Diffuser
 220-240V 50-60Hz
 Without E27 Max.28W bulb
 Color: black
 IP44



● EL-489



● EL-489S
 With sensor



● GPL-489



Outdoor E27 Wall & Path Light IP44

Hot Selling





Material: Aluminium body + PC
 Input: 220~240V/50-60Hz
 Watt: E27
 IP44



● EL-482



● EL-482S



● GPL-482



EXTERIOR GARDEN

Garden Wall / Path Light
LED Version

Outdoor LED Rotatable Wall Light IP65

NEW





Material: Aluminum body + Opal PC Diffuser
220-240V
Color: black
IP65




● ELED-228
LED 6.5W



● ELED-228S
LED 6.5W



● ELED-228-2
LED 11.8W




● ELED-228S-2
LED 11.8W

Outdoor LED Rotatable Wall Light IP54

NEW



Material: Aluminum body+ PC Diffuser
 Linear high voltage: 15pcs 2835 10W LED
 Recommended CCT: 5000K
 Output Lumen: 700lm
 Color: black
 IP54



Outdoor LED Wall & Path Light IP44



Material: Die cast aluminium body+ Clear PC diffuser
 220-240V
 LED 10W
 Color: Black
 IP44



● ELED-267




● GPLED-267

Outdoor LED Wall & Path Light IP54



Material: Aluminum body + Clear PC Diffuser
220-240V 50-60Hz
LED Max. 8W
Color: Black
IP54



● ELED-225




● GPLED-225




Outdoor LED Wall & Path Light IP54



Material: Aluminum body+ PC Diffuser
220-240V 50-60Hz
Light source: 44pcs 2835 LED, 10W
Recommended CCT: 3000K
Light Output(Lumens): 650LM
LED brand: Everlight 2835 SMD
Power: DOB
Color: black
IP54




● GPLED-223




● GPLED-223S

With PIR motion sensor
Sensor angle: 100°
Sensor Time: 1s ~ 5min
Detect Distance: 5-10m
LUX: <30 LUX / >1500 LUX



● ELED-223



● ELED-223S


With PIR motion sensor
Sensor angle: 100°
Sensor Time: 1s ~ 5min
Detect Distance: 5-10m
LUX: <30 LUX / >1500 LUX

LED Plastic Corner Wall Light IP54


PROMOTION



Material: ABS + PC Diffuser
Voltage: 220-240V
Frequency: 50/60Hz
Power: LED
Color Temperature: 2700K-6500K
IP54



● ELED-213A





● ELED-213B

LED Plastic Corner Wall Light IP54


PROMOTION




Material: ABS + PC Diffuser
Voltage: 220-240V
Frequency: 50/60Hz
Power: LED
Color Temperature: 2700K-6500K
IP54



● ELED-214A



● ELED-214B



● ELED-214C

LED Plastic Corner Wall Light IP54

PROMOTION



Material: ABS + PC Diffuser
Voltage: 220-240V
Frequency: 50/60Hz
Power: LED
Color Temperature: 2700K-6500K
IP54




LED Plastic Corner Wall Light IP54

PROMOTION



Material: ABS + PC Diffuser
Voltage: 220-240V
Frequency: 50/60Hz
Power: LED
Color Temperature: 2700K-6500K
IP54



NEW

Solar E27 Wall & Path Light IP54




EXTERIOR SOLAR Solar Wall & Path Light

Material: aluminum+stainless steel+PC
Solar Panel: monocrystalline 0.7W
Battery: Li-ion 18650 3.7V 1200mAh
E27 lamp bulb A60 3V
Switch: On/off
Charge time: 7-8 hours
Life time: AUTO 8-9 hours after full charge
AUTO 23 LM
Color: black
IP54



● SOL-700



● SOL-700GP

Solar LED Wall Light IP54

NEW



Material: Aluminum body+ PC Diffuser
 With 5V 200mA solar panel 2835 LED, 2W
 Recommended CCT: 3000, 5000K
 Output Lumen: 300LM
 LED brand: Everlight 2835 SMD
 Work time: 10H
 Charge time: 6-8H
 Built-in 18650 3.7V 1500 mAh
 Rechargeable Lithium polymer battery
 Color: black
 IP54




Adjustable Solar Wall Light with Motion Sensor IP65

NEW



Power: 3W
 Lumen: 300lm
 Battery Capacity: 3.2V/4AH
 Solar Panel: 4V/3W
 IP65




Adjustable Solar Wall Light with Motion Sensor IP65

NEW



Power: 3W
Lumen: 300lm
Battery Capacity: 3.2V/4AH
Solar Panel: 4V/2W
IP65




● SOL-660S

Outdoor Solar Plastic Wall Light With Motion Sensor IP44

NEW



Material: Plastic
Solar Panel: 5V, 200mA
18*0.5W 2835SMD LED 3000K
1*3.7V 2000mAh Li-ion battery
With Motion Sensor:
Detection range: 5-8m
Detection scope: 100°
Lighting duration: 45s for each detection
Color: black
IP44



● SOL-623S




● SOL-623S-B

Outdoor Solar Plastic Wall Light With Motion Sensor IP44

NEW



Material: Plastic
Solar Panel: 5V, 200mA
18*0.5W 2835SMD LED 3000K
1*3.7V 2000mAh Li-ion battery
With Motion Sensor:
-Detection range: 5-8m
-Detection scope: 100°
-Lighting duration: 45s for each detection
Color: black
IP44




● SOL-637S

Adjustable Solar Panel Wall Light With Motion Sensor IP44

NEW



Material: PA6+glass
LED: 3W 14pcs SMD2835 white light
Solar panel: monocrystalline silicon 5V 1W
Battery: 3.7V1800mAh 18650
Lithium battery control mode:
light control + power switch PIR function
Sensing distance: 5M
Beam Angle: 120°
Charging time: 8 hours
Light on time: light on for 2 hours (each trigger work for 30 seconds can transmit more than 200 times), dark light for 12 hours
Brightness: Bright 300lm, dark 50lm
Color: black
IP44



● SOL-655S




Outdoor Solar Plastic Wall & Path Light With Motion Sensor IP44


NEW




Material: plastic
Solar Panel: 4.5V,300mA
18*0.5W 2835SMD LED,3000K
500LM(without diffuser while detection)
1*3.7V 2200mAh 18650 Li-ion rechargeable battery
Time: 45S±5S for each detection,
totally 80times after battery's fully recharged
Moving motion sensor
Distance: 6-8m
Angle: 90degree
Color: black
IP44





● SOL-622S-B



● SOL-622S-A



● SOL-622GPS-B




● SOL-622GPS-A

Outdoor Solar Plastic Wall & Path Light With Motion Sensor IP44

NEW



Material: plastic
Solar Panel: 4.5V,300mA
18*0.5W 2835SMD LED,3000K
500LM(without diffuser while detection)
1*3.7V 2200mAh 18650 Li-ion rechargeable battery
Time: 45S±5S for each detection,
totally 80times after battery's fully recharged
Moving motion sensor
Distance: 6-8m
Angle: 90degree
Color: black
IP44



● SOL-633GPS




● SOL-633S

Outdoor Solar Plastic Wall & Path Light With Motion Sensor IP44


NEW



Plastic housing, stainless steel tube, opal plastic diffuser
 40*SMD2835 0.2W LED (2700-6500K)
 1*3.7V 2200mAh Li-ion battery
 Solar Panel: 5V, 300mA
 IP44
 With Motion Sensor:
 Detection range: 5-8m
 Detection scope: 100 degree
 Lighting duration: 40s for each detection



● SOL-658S



● SOL-658GPS



Outdoor Wall & Path Light With Motion Sensor



Aluminium housing, glass diffuser
 SOL-634S/634GPS / C: 1*3V E27 (2700-6500K)
 SOL-634S-2: 2*3V E27 (2700-6500K)
 SOL-634S/634GPS / C: 1*3.7V 2200mAh Li-ion battery
 SOL-634S-2: 1*3.7V 2600mAh Li-ion battery
 Solar Panel:
 SOL-634S: 5V, 280mA
 SOL-634S-2: 5V, 480mA
 SOL-634GPS: 5V, 300mA
 IP44
 With Motion Sensor:
 Detection range: 5-8m
 Detection scope: 100 degree
 Lighting duration: 40s for each detection



● SOL-634S



● SOL-634S-2



● SOL-634GPS


Outdoor Solar Plastic Wall Light With Motion Sensor IP44



Material: Aluminium cover, clear plastic body and diffuser
 8x0.5W 2835 SMD LED 3000K
 1x3.7V 18650 1300mAh Li-ion battery
 With Motion Sensor:
 -Detective distance: 5-8m
 -Detective angle: 90°
 -Detective time: 30s for one time, steable in low setting is 15lm
 Working time: 8h after battery fully charged while in low setting
 Color: black/Stainless steel
 IP44



● SOL-626S




● SOL-626S-B

Outdoor Solar Plastic Wall Light IP44



Plastic housing, clear plastic diffuser
 SOL-627A: 6*SMD2835 0.5W LED (2700-6500K)
 SOL-627B: 8*SMD2835 0.5W LED (2700-6500K)
 1*3.7V 1300mAh Li-ion battery
 Solar Panel:
 SOL-627A: 5V, 150mA
 SOL-627B: 5V, 250mA
 IP44




● SOL-627B




● SOL-627A


Solar LED Wall&Path Light IP44




Material: aluminum
Solar Panel: monocrystalline 0.55W
Battery: Li-ion 18650 3.7V
1200mAh
LED: 6x2835 SMD LED
Switch: On/off
Charge time: 8 hours
Life time: AUTO 7-9 hours after full charge
AUTO 22 LM
Color: black
IP44





● SOL-699-A



● SOL-699-B



● SOL-699GP-A



● SOL-699GP-B

ARTIFICIAL INTELLIGENCE SECURITY

Artificial Intelligence

Detection Solar Security


Light Sun & People Chasing

IP65


NEW



Material: aluminium+PC
 Luminous flux (Lm): 1500LM
 LED Actual power: 15W
 LED Type: 2835-200SMD LED chip
 Lithium iron phosphate battery: 7.4V 3.6AH
 Solar panel power: 5.5V 2.3W
 Monocrystalline silicon
 Solar charging time: 8-12H
 Controller: PIR sensor
 Installation Height: <4 m
 Sensor distance: 6-8m
 CCT (K): 3000-8000K
 Ra>80
 Working environment: -20°C~85°C
 Color: black
 IP65



● SOL-662S



Artificial Intelligence

Detection Solar Security



Light Sun & People Chasing

IP65

NEW



Material: aluminium+PC+iron bracket
 Luminous flux (Lm): 700LM
 LED Actual power: 7W
 LED Type: 2835-32SMD LED chip
 Lithium iron phosphate battery: 3.7V 1.8AH
 Solar panel power: 5.5V 1W
 Monocrystalline silicon
 Solar charging time: 8-12H
 Controller: PIR sensor
 Installation Height: <4 m
 Sensor distance: 6-8m
 CCT (K): 3000-8000K
 Ra>80
 Working environment: -20°C~85°C
 Color: black
 IP65



● SOL-663S



Notes
